

Table of Contents

Abstract	xvii
Deutsche Kurzfassung	xix
1 Introduction	1
1.1 Aerial Robots	1
1.1.1 VTOLs for Aerial Robotics	2
1.1.2 Quadrotors	4
1.2 Aerial Physical Interaction (APhI)	5
1.3 Aerial Manipulation	6
1.4 On the Control of Underactuated Aerial Robots for APhI and Manipulation	8
1.4.1 Control of APhI	8
1.4.2 Control of Aerial Manipulators	9
1.5 Outline of this Thesis	10
1.6 Open Problems and Contributions	12
2 Quadrotor: Mathematical Model and Experimental Setup	15
2.1 Quadrotor Model	15
2.2 Simulation Setups of the Quadrotor	17
2.3 Experimental Setup of the Quadrotor	18
2.3.1 Hardware	18
2.3.2 Software	22
3 External Wrench Measurement and Estimation for an Aerial Robot	25
3.1 Introduction	25
3.2 Measurement of the External Wrench	26
3.3 Estimation of the External Wrench	30
3.4 Measurement vs Estimation	32
3.5 Discussions	32
4 Control of Aerial Physical Interaction using IDA-PBC	35
4.1 Introduction	35
4.1.1 Preliminaries	36
4.2 Reshaping the Physical Properties of a Quadrotor for APhI	39
4.2.1 Port-Hamiltonian Dynamics of a Quadrotor	39
4.2.2 IDA-PBC of Quadrotors for Aerial Physical Interaction	40
4.2.3 Total Energy Shaping	41
4.2.4 Dissipation and External Wrench Shaping	43
4.2.5 Using IDA-PBC for Turning Quadrotors into 3D Force Effectors	46

Table of Contents

4.3	Numerical and Experimental Results	47
4.3.1	Numerical Validation	48
4.3.2	Experimental Results	57
4.4	Discussions	63
5	Design of a Compliant Actuator for Aerial Physical Interaction and Manipulation	65
5.1	Introduction	65
5.2	Design of an Elastic-Joint Arm for Aerial Robots	66
5.3	Identification and Control	67
5.3.1	Parametric Identification	67
5.3.2	Control of the Flexible-joint Arm	70
5.4	Experimental Results	71
5.5	Discussions	75
6	Control of Aerial Manipulation using Differential Flatness and Exact Linearizability	77
6.1	Introduction	78
6.1.1	Relative Degree, Exact Linearization and Differential Flatness	79
6.2	Aerial Manipulators with Single Joint-Arm	81
6.2.1	Nomenclature and Objectives	83
6.2.2	Review of Exact Output Tracking	85
6.2.3	Methodology	87
6.2.4	Case RG: Rigid-joint Attached to a Generic Point	88
6.2.5	Case RC: Rigid-joint Attached to the PVTOL CoM	92
6.2.6	Case EG: Elastic-joint Attached to a Generic Point	95
6.2.7	Case EC: Elastic-joint Attached to the PVTOL CoM	100
6.2.8	Using Flatness for Optimal Trajectory Planning and Control	103
6.2.9	Numerical Results	105
6.2.10	Preliminary Experiments	124
6.2.11	Discussions	127
6.3	Protocentric Aerial Manipulators (PAMs) with Multiple Redundant Arms .	129
6.3.1	Case R: System Dynamics with Only Rigid Joints	131
6.3.2	Case E: System Dynamics with Rigid and/or Elastic Joints	133
6.3.3	Control for Case R	137
6.3.4	Numerical Results	139
6.4	Towards Control in 3D	141
6.4.1	PAM in 3D	142
6.4.2	Decentralized Flatness-Based Control	144
6.4.3	Experimental Results	149
6.4.4	Discussions	153
7	Conclusions	157
A	Technical Proofs	161
A.1	Proof of Proposition 1	161
A.2	Proof of Proposition 2	162

A.3 Proof of Proposition 3	163
A.4 Proof of Proposition 4	163
A.5 Proof of Proposition 5	164
A.6 Proof of Proposition 6	165
A.7 Proof of Proposition 7	166
A.8 Proof of Proposition 8	168
A.9 Proof of Proposition 9	170
A.10 Proof of Proposition 10	171
B Technical Computations	173
B.1 Computation of the Inertia Matrix for (6.3.1)	173
B.2 Computation of the Gravity and Coriolis Forces for (6.80) and (6.81)	175
B.3 Computation of the Control Input Matrix for (6.83)	180
C Nonlinear Systems, Stability and Control	181
C.1 Known Concepts for the Nonlinear Systems Stability	182
C.2 Connections Between Different Stability Concepts	186
Bibliography	191